



IN THE DRAWINGS

Applicants have attached a full set of formal drawings that include replacement drawing sheets illustrating amended FIGs. 3, 4, and 8. This was necessary in order to provide amended drawings without markings. The changes illustrated by the attached replacement drawing sheets are described below.

✓ FIG. 3 has been amended to delete one of the black boxes and the "EXISTING FUNCTIONALITY" box and to replace the other black boxes with "NULL" entities.

FIG. 4 has been amended to delete one of the black boxes and the "EXISTING FUNCTIONALITY" box and to replace the other black boxes with named entities as described in the detailed description per the reference numbers 404, 402, and 408.

FIG. 8 has been amended to delete two of the black boxes and to label the others with named entities as described in the detailed description per the reference numbers 809, 814, and 811.



100




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



901	IMSI	
	MM STATE	951
952	VRL ADDRESS	
	NEW SGSN ADDRESS	953
902	TLLI	
	ROUTING AREA	954
903	CELL IDENTITY	
	AUTHENTICATION TRIPLETS	904
905	Kc	
	CKSN	906
907	CIPHERING ALGORITHM	
	MS CLASS	908
909	CLASSMARK	
	DRX PARAMETERS	910
911	COMPRESSION	
	MNRF	955
956	RECOVERY	
912	PDP TYPE	
	PDP ADDRESS	913
914	NSAPI	
	PDP STATE	915
916	GGSN ADDRESS	
	GGNS ADDRESS IN USE	917
957	DYNAMIC ADDRESS ALLOWED	
	VPLMN ADDRESS ALLOWED	958
918	QoS SUBSCRIBED	
	QoS REQUESTED	919
920	QoS NEGOTIATED	
	SND	921
922	SNU	
	REORDERING REQUIRED	923

FIG. 9